

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9258	(secure\$2 or safe\$2) near6 (boot\$3 or initializ\$5 or bootstrap\$4 or (boot adj strap\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:25
L2	7	1 same ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:19
L3	7	1 with ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 12:58
L4	10	1 same (server\$1 near3 list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:19
L5	5	1 with (server\$1 near3 list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:03
L6	4208	(stor\$3 or hold\$3 or has or hav\$3 or includ\$3 or contain\$3) near6 ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:15
L7	4	6 same ((network adj interface adj card\$1) or NIC\$1 or (network near2 (adapter\$1 or adaptor\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:18
L8	1	6 with ((network adj interface adj card\$1) or NIC\$1 or (network near2 (adapter\$1 or adaptor\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:13
L9	3356	(stor\$3 or hold\$3 or has or hav\$3 or includ\$3 or contain\$3) near6 (server\$1 near3 list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:15

EAST Search History

L10	4	9 same ((network adj interface adj card\$1) or NIC\$1 or (network near2 (adapter\$1 or adaptor\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:15
L11	1	9 with ((network adj interface adj card\$1) or NIC\$1 or (network near2 (adapter\$1 or adaptor\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:15
L12	2	1 same 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:17
L13	2	1 with 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:17
L14	2	1 same 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:17
L15	2	1 with 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:17
L16	13	1 same ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:49
L17	11	1 with ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:20
L18	6670	(secure\$2 or safe\$2) near3 (boot\$3 or initializ\$5 or bootstrap\$4 or (boot adj strap\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:28
L19	13	18 same ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:29

EAST Search History

L20	11	18 with ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:27
L21	5532	network near3 (boot\$3 or initializ\$5 or bootstrap\$4 or (boot adj strap\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:28
L22	6672	(secure\$2 or safe\$2) near3 (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:38
L23	13	22 same ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:34
L24	11	22 with ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:29
L25	5537	network near3 (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:29
L26	24	25 same ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:29
L27	11	25 with ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:29
L28	12	22 same ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:41
L29	9	22 with ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:32

EAST Search History

L30	80	25 same ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:34
L31	22	25 with ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:34
L32	23	30 same (trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:35
L33	8	31 with (trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:37
L34	9455	(secure\$2 or safe\$2 or reliab\$2 or depend\$4 or reliant\$2) near3 (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:43
L35	18	34 same ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:43
L36	10	34 with ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:41
L37	7329	(secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2) near3 (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:45
L38	12	37 same ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:45
L39	9	37 with ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:43

EAST Search History

L40	5537	network near3 (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:48
L41	80	40 same ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:45
L42	22	40 with ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:45
L43	5	41 same ((secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2) near3 (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:57
L44	3	42 with ((secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2) near3 (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:45
L45	7	41 same (secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:26
L46	5	42 with (secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:46
L47	7035	(boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (server\$1 or node\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:56
L48	37	47 same ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:07

EAST Search History

L49	16	47 with ((trust\$2 or autoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:49
L50	202	(boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near3 ((server\$1 or node\$1) near2 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:05
L51	15	50 same ((secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2 or network) near3 (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:57
L52	8	50 with ((secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2 or network) near3 (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:04
L53	798	(select\$3 or choos\$3 or designat\$3 or allocat\$3 or assign\$3 or elect\$3) near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near3 (server\$1 or node\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:09
L54	5	53 same ((trust\$2 or autoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:11
L55	4	53 with ((trust\$2 or autoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:07
L56	66	53 same ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:10
L57	28	53 with ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:08

EAST Search History

L58	0	56 same (secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:08
L59	1014	(select\$3 or choos\$3 or designat\$3 or allocat\$3 or assign\$3 or elect\$3) near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near3 (server\$1 or node\$ or blade\$1 or card\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:37
L60	66	59 same ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:10
L61	28	59 with ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:10
L62	5	59 same ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:16
L63	4	59 with ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:11
L64	8	60 same ((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:16
L65	1	61 with ((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:16
L66	78	59 same ((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:20

EAST Search History

L67	33	59 with ((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:30
L68	0	66 same ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:17
L69	13	66 same (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:23
L70	3	67 with (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:17
L71	84	59 same ((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:23
L72	34	59 with ((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:21
L73	13	71 same (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:27
L74	3	72 with (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:21
L75	153	59 same (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:23
L76	58	59 with (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:23

EAST Search History

L77	13	75 same ((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:24
L78	3	76 with ((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:23
L79	27	59 same (secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:26
L80	5	59 with (secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:27
L81	10	79 same (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:33
L82	0	80 with (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:27
L83	35	59 with ((plurality or multiple or multi) near3 (server\$1 or node\$ or blade\$1 or card\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:31
L84	89	59 same (((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) or (multi adj (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:38
L85	34	59 with (((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) or (multi adj (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:33

EAST Search History

L86	14	84 same (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:39
L87	3	85 with (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:35
L88	2048	(select\$3 or choos\$3 or designat\$3 or allocat\$3 or assign\$3 or elect\$3) near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:51
L89	195	88 same (((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) or (multi adj (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:52
L90	117	88 with (((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) or (multi adj (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:39
L91	20	89 same (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:58
L92	4	90 with (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:49
L93	2285	(select\$3 or choos\$3 or designat\$3 or allocat\$3 or assign\$3 or elect\$3) near6 (((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) or BSP\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:23

EAST Search History

L94	195	93 same (((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) or (multi adj (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:50
L95	117	93 with (((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) or (multi adj (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:54
L96	39	94 and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:35
L97	31	95 and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:35
L98	18	97 and (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:09
L99	25	96 and (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:36
L100	251	(stor\$3 or hold\$3 or has or hav\$3 or includ\$3 or contain\$3) near6 ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 ((server\$1 or node\$1 or processor\$1 or microprocessor\$1 or CPU\$1) near2 (list or table)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:53
L101	2	100 same ((network adj interface adj card\$1) or NIC\$1 or (network near2 (adapter\$1 or adaptor\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:20
L102	9023	(stor\$3 or hold\$3 or has or hav\$3 or includ\$3 or contain\$3) near6 ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:19

EAST Search History

L103	10	102 same ((network adj interface adj card\$1) or NIC\$1 or (network near2 (adapter\$1 or adaptor\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:23
L104	3	102 with ((network adj interface adj card\$1) or NIC\$1 or (network near2 (adapter\$1 or adaptor\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:21
L105	204	((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) or BSP\$1) near2 list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:57
L106	8	105 same ((network adj interface adj card\$1) or NIC\$1 or (network near2 (adapter\$1 or adaptor\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:24
L107	1	105 with ((network adj interface adj card\$1) or NIC\$1 or (network near2 (adapter\$1 or adaptor\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:24
L108	31	95 and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:35
L109	42	94 and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:36
L110	17	108 and (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:36
L111	22	109 and (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:36

EAST Search History

L112	10	105 and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:48
L113	4	105 and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:49
L114	29	105.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:50
L115	5	((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 ((server\$1 or node\$1 or processor\$1 or microprocessor\$1 or CPU\$1) near2 (list or table))) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:40
L116	4	((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 ((server\$1 or node\$1 or processor\$1 or microprocessor\$1 or CPU\$1) near2 (list or table))) and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:33
L117	120	broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near3 request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:01
L118	6	117 same (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:17
L119	2	117 with (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:01
L120	9	(broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near3 request\$1)) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:07

EAST Search History

L121	31	(broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near3 request\$1)) and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:16
L122	120	(broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:35
L123	9	122 and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:18
L124	0	123 and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:19
L125	31	122 and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:26
L126	6	125 and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:18
L127	17	122 and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:57
L128	11	((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 ((server\$1 or node\$1 or processor\$1 or microprocessor\$1 or CPU\$1) near2 (list or table))) and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:34

EAST Search History

L129	184	((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (server\$1 or node\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:42
L130	87	((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (server\$1 or node\$1)) and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:46
L131	13	130 and (broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:58
L132	14	((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (server\$1 or node\$1)) same (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:56
L133	10	((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (server\$1 or node\$1)) with (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:37
L134	12	130 and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:40
L135	5	130 and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:40

EAST Search History

L136	11344	(secure\$1 or safe or protected) near2 network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:55
L137	15	129 and 136	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:42
L138	0	136 same (hyper adj secure adj remote adj service adj network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:45
L139	2	(hyper adj secure adj remote adj service adj network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:45
L140	9	130 and ((remote adj supervisory adj adapter) or RSA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:48
L141	10154	((remote adj supervisory adj adapter) or RSA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:48
L142	5	(remote adj supervisory adj adapter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:48
L143	15	130 and ((secure\$1 or safe or protected) near2 network\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:57
L144	5	132 same 136	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:56
L145	24	((secure\$1 or safe or protected) near2 network\$1) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:01

EAST Search History

L146	0	145 and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:20
L147	0	145 and (broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:58
L148	22	((secure\$1 or safe or protected) near2 network\$1) and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:16
L149	15	130 and ((secure\$1 or safe or protected) near3 (network\$1 or (local adj area adj network\$1) or LAN\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:19
L150	32	((secure\$1 or safe or protected) near3 (network\$1 or (local adj area adj network\$1) or LAN\$1)) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:38
L151	0	150 and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:25
L152	13	150 and administrator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:24
L153	27	((secure\$1 or safe or protected) near3 (network\$1 or (local adj area adj network\$1) or LAN\$1)) and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:24
L154	17	153 and administrator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:24

EAST Search History

L155	6	153 and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:36
L156	16	(Khanna and Rahul).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:36
L157	167	(Zimmer and Vincent and J).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:36
L158	4	157 and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:36
L159	10	157 and ((secure\$1 or safe or protected) near3 (network\$1 or (local adj area adj network\$1) or LAN\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:38
L160	0	157 and ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 ((server\$1 or node\$1) near3 (list or table)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:41
L161	6	157 and ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:41